

SEQUENCE LISTING

<110> Lizardi, Paul M.

<120> Molecular Cloning Using Rolling Circle Amplification

<130> YU 124

<140> 09/396,281

<141> 1999-09-15

<150> 60/100,327

<151> 1998-09-15

<160> 11

<170> PatentIn Ver. 2.1

<210> 1

<211> 58

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Cloned
sequence

<220>

<221> misc_feature

<222> (25)..(33)

<223> N indicates interrogation bases in a clone and is
either A, T, G, or C

<400> 1

taagtctagt tgacaggatg catgnnnnnn nntcagaca gttgttgact gatggctg 58

<210> 2

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<220>

<221> misc_feature

<222> (21)

<223> N represents the nucleotide added to the primer
and is either A, G, C, or T

<400> 2

tctagttgac aggatgcatg n

21

<210> 3

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<220>

<221> misc_feature

<222> (21)

<223> N represents the nucleotide added to the primer
and is either A, G, C, or T

<220>

<221> misc_feature

<222> (20)

<223> N represents a degenerate base position in the
primer

<400> 3

ctagttgaca ggatgcatgn n

21

<210> 4

<211> 21

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<220>

<221> misc_feature

<222> (21)

<223> N represents the nucleotide added to the primer
and is either A, G, C, or T

<220>

<221> misc_feature

<222> (19)..(20)

<223> N represents a degenerate base position in the primer

<400> 4
tagttgacag gatgcatgnn n

21

<210> 5
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<220>
<221> misc_feature
<222> (21)
<223> N represents the nucleotide added to the primer
and is either A, G, C, or T

<220>
<221> misc_feature
<222> (18)..(20)
<223> N represents a degenerate base position in the
primer

<400> 5
agttgacagg atgcatgnnn n

21

<210> 6
<211> 21
<212> DNA
<213> Artificial Sequence

<220>
<223> Description of Artificial Sequence: Primer

<220>
<221> misc_feature
<222> (21)
<223> N represents the nucleotide added to the primer
and is either A, G, C, or T

<220>
<221> misc_feature
<222> (17)..(20)

<223> N represents a degenerate base position in the primer

<400> 6
gttgacagga tgcattgnnn n

21

<210> 7
<211> 58
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
Oligonucleotide

<400> 7
catgaggact agcagatgga tgcggccgca gctcgtgtaa tacgactcac tatagggt 58

<210> 8
<211> 60
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
Oligonucleotide

<400> 8
ccctatagt agtcgtatta cagagctgc tagcatcatt agccaaaaaa aaaaaaaaaa 60

<210> 9
<211> 42
<212> DNA
<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
Oligonucleotide

<400> 9
ggctaagtat gctaggccgc atccatctgc tagtctcat gt

42

<210> 10
<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence:
Oligonucleotide

<400> 10

gcattccatct gctagtcctc atg

23

<210> 11

<211> 22

<212> DNA

<213> Artificial Sequence

<220>

<223> Description of Artificial Sequence: Primer

<400> 11

cgcagctcgt gtaatacgac tc

22